



Department of Procurement Services

160 South Hollywood Street · Room 126 · Memphis, TN 38112 · (901) 416-5376

September 9, 2022

RE: Addendum #1: **IFB#09122022DLB Various Schools Security Fencing**

Dear Bidders:

This Addendum forms a part of the Contract Documents and modifies the Plans and Specifications dated September 1, 2022. The Contractor shall acknowledge receipt of this Addendum on the Bid Form. Failure to do so may subject the Bidder to disqualification.

Item #1 – UPDATE TO APPENDIX J: BID PROPOSAL FORM (APPENDIX J1; BID PROPOSAL FORM)

- Provide an Alternate #2 cost to provide and install panic bars, gate closures, protective mesh and non-illuminated exit signage for all man gates at Central High School
- Provide an Alternate #3 cost to provide and install stop signs on all drive gates for all (3) locations.

*******Include in the base bid, a cost for medeco locks for all drive gates for each location.**

Item #2 – ADDITIONS TO THE SCOPE OF WORK

- Fence permits shall be obtained by the Contractor for all (3) locations. Contractor is responsible for all permit fees associated with the project.
- All new fencing shall have a 2" gap at the bottom to allow trimming at fence base.
- The Contractor shall be responsible for having all site utilities located prior to digging or excavation. The Contractor shall pay all fees for this service and restore at their cost any damaged utilities that may occur from the installation process. The Contractor shall be responsible and held liable to restore or replace any damaged utilities within 24 hours after incident.

Southwind High School

- In areas that shall receive new chain link fencing at Southwind High School as indicated on associated bid sketches, the Contractor shall match the existing 6' tall, galvanized chain link fencing instead of the originally specified black vinyl fencing.

Central High School

- The ornamental fencing shall offset 5' around the existing fire hydrant in front of the school. One 4' man gate equipped with a medeco lock shall be provided and installed at that location. Provide and install appropriate Code required signage on the man-gate at this location.
- New ornamental fence shall match the design of the ornamental fence currently installed on the adjacent property north of the school.

Cordova High School

- Install bottom rail on new chain link locations to match existing conditions.

This Addendum is a binding part of the Contract Documents. Acknowledge this Addendum in your bid.

Scott Steen, Project Management Lead
Department of Major Construction
Division of Facilities Maintenance

Thank you,
Procurement Services