

Department of Facilities and Maintenance

134 Farmville Rd. Memphis, Tennessee 38122 (901) 416-9420

Bid 08112021 3000 Bottle Filling Stations for SCS District


Overview

It is the intent of Shelby County Schools (SCBE) to purchase 3000 **Elkay** Model LZS8WSLP Enhanced EZH20 Bottle Filling Station and Single ADA Cooler Filtered, Refrigerated, Light Gray Fountains; **Halsey Taylor**; **Oasis** or equivalent brands for District-wide replacement. See below for specifications. Bold represents acceptable models.

Specifications must meet or exceed requirements listed below:

Specifications

- Special Features: Antimicrobial, Automatic Filter Status Reset, Energy Savings, Filtered, Green Ticker TM, Hands Free, Laminar Flow, Real Drain, Visual Filter Monitor
- Finish: Light Gray Granite
- Power: 5V/60Hz
- Bubbler Style: Flexi-Guard R Safety Bubbler
- Activation by: Electronic Bottle Filler Sensor with Electronic Front and Side Bubbler Push bar
- Mounting Type: Wall Mount (On Wall)
- Chilling Capacity: 8.0 GPH
- Full Load Amps: 5
- Rated Watts: 370
- Dimensions (L x W x H): 18-3/8" x 19" x 39-7/16"
- Approx. Shipping Weight: 85 lbs.
- Installation Location: Indoor
- No. of Stations Served: 1



Department of Facilities and Maintenance

134 Farmville Rd. Memphis, Tennessee 38122 (901) 416-9420

Product Compliance

ADA & ICC A117.1

ASME A112.19.3/CSA 845.4

• Buy American Act

CAN/CSA C22.2 No. 120

Green Spec r

NSF/ANSI 42, 53, 61, & 372 (lead free)

UL 399